



**TEMPORARY  
MOBILE FENCING  
FOR BUILDING SITES**



reti elettrosaldate dal 1961

# CANTEDIL®



patented system

MOVABLE BARRIERS FOR BUILDING SITES AND INDUSTRIAL FENCING



welded mesh since 1961



## SIA-MPL is the brand that guarantees ...

- Quality
- Modularity
- Simple assembly
- Flexibility
- Cost-effective transport
- Strength and durability

Convenient and quick to put up and take down, reusable, strong and very durable, produced according to DL949/96 as regards safety: CANTEDIL® is the most cost-effective solution for the temporary fencing off of building sites and for enclosing areas during exhibitions, trade fairs, sports events and the like, for car parks and management of traffic flow. The small size of the panels makes storage and handling very convenient. Total modularity means that any damaged elements can be replaced individually; furthermore, the availability of various sizes of posts makes it possible to produce barriers in several heights.


### Technical specifications:

Panel:  
Pre-galvanized net 4 mm Ø wire.  
Mesh 100 mm. · H. 860 mm.  
L. 3500 mm.

Galvanized post:  
H. 2000 mm. · Ø 42mm.

Base:  
Reinforced concrete with four holes  
H. 160 mm. · L. 210 mm.  
D. 700 mm. · Weight 33 kg.

Finish:  
Optional powder painting in permitted colours.





# CANTEDIL® fixed



Supplied on request, the CANTEDIL® FIXED barrier offers the same features in terms of strength and durability as CANTEDIL® in a permanent version. The panels are supplied already welded to sturdy tubular pedestals, thus representing a single unit. Perfect for the enclosure of building sites or areas requiring safety, CANTEDIL® FIXED can be easily moved and re-positioned in other contexts.

## Technical specifications:

Complete panel:  
Pre-galvanized net 4 mm Ø wire.  
Mesh 100 mm.  
With galvanized posts welded to the net H. 2000 mm. · L. 3500 mm.

Base:  
Reinforced concrete with four holes  
H. 160 mm. · L. 210 mm. · D. 700 mm.  
Weight 33 kg.

Finish:  
Optional powder painting in permitted colours.



# CANTEDIL® fine

Aimed at industrial applications, for enclosing off areas and as general-purpose fencing, CANTEDIL® FINE offers the same features in terms of quality and technical specifications as CANTEDIL®: assembling and storing flexibility, with the addition of optional exterior-grade powder painting, smaller panel width and finer mesh. CANTEDIL® FINE is a permanent barrier that offers a wide range of heights, fitted with stoppers at the tops of the tubes to prevent the possibility of tampering.

## Technical specifications:

Panel:  
Pre-galvanized net 4 mm Ø wire.  
Mesh 50 mm.  
H. 860 mm. · L. 2000 mm.

Galvanized post:  
H. 2000 mm. · Ø 42 mm.

Finish:  
Optional powder painting in permitted colours.

